



BOOST GEL RE-BALANCE INSTRUCTIONS

Start with a dry manicure so the cuticle is cleaned up and off the nail plate.

1. Lightly blend the contact area of the existing **BOOST**.
2. Cleanse the new growth area with Cinnatize.
3. If needed, apply your **IBX** treatment to the new nail growth area.
4. Avoiding contact with the skin, apply an **extremely thin** coat of **BOOST** Base to the regrowth area using a scrubbing motion and light pressure to work the product into the nail plate. The use of disposable micro applicators makes it easy to apply thinly.
5. Cure in a UV or LED lamp for one minute.
6. Apply a **THIN** coat of **BOOST** Gel to the nail plate and glide the product over the entire nail just like nail polish.

7. Cure in a UV or LED lamp for one minute.
8. We recommend a second thin coat of **BOOST** applied the same as the first. Do not cleanse before this coat.
9. For a natural look finish your service finishing the service with **BOOST HIGH SHINE TOP COAT** and cure for 1 minute to protect your Boost application. Cleanse with 90% IPA. **BOOST** can also be applied under gel polish, soak-off and hard gels.

If no smoothing required:

Finishing the service with **BOOST HIGH SHINE TOP COAT** and cure for 1 minute, then cleanse with 90%+ IPA.

If smoothing required:

Finishing the service with **BOOST HIGH SHINE TOP COAT** and cure for 1 minute, then cleanse with 90%+ IPA.

